

BENICE Section B 2024年6月17日(月)昼

Board (1)							Board (2)							Board (3)							Board (4)						
NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP
3	5	3NT	N 3	400		6	3	5	2H	W 3		140	2.4	4	6	2H	S 4	170		1.5	4	6	3D	S 4	130		1.2
4	11	1NT	N 3	150		1.8	4	11	1NT	W 2		120	6	5	1	2H	S 4	170		1.5	5	1	4C	E-2	200		4.2
7	8	1NT	N 5	210		4.8	7	8	2H	W 3		140	2.4	7	13	4H	N 4	420		5	7	13	3S	N 4	170		2.4
9	12	5D	N-1		50	0	9	12	2H	W 3		140	2.4	8	9	2H	S 4	170		1.5	8	9	3S	N 5	200		4.2
10	2	Average				3	10	2	Average				3	10	12	4H	S 5	450		6	10	12	4S	N 4	620		6
13	6	1NT	N 4	180		3.6	13	6	2H	W 3		140	2.4	11	3	2H	S 5	200		4	11	3	4S	N-3		300	0
14	1	2H	E-3	150		1.8	14	1	2H	W 3		140	2.4	14	2	2H	S 4	170		1.5	14	2	Average				3
Board (5)							Board (6)							Board (7)							Board (8)						
NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP
1	4	2C	S 2	90		3.6	1	4	6NT	S 6	990		1.8	1	12	4S	W 5	650		0	1	12	3S	S-1		50	2.4
5	7	1NT	N 1	90		3.6	5	7	6NT	N 7	1020		4.8	2	5	Average				3	2	5	Average				3
6	2	Average				3	6	2	Average				3	6	8	4S	W 4	620		1.2	6	8	2S	N 2	110		5.4
8	13	1NT	S-1		100	0.6	8	13	6NT	S 6	990		1.8	7	3	2S	W 4	170		4.2	7	3	2S	S 2	110		5.4
9	10	1NT	S 2	120		6	9	10	6NT	S 6	990		1.8	9	13	2S	W 4	170		4.2	9	13	3S	N-1		50	2.4
11	12	1NT	S 1	90		3.6	11	12	7NT	S 7	1520		6	10	11	3S	W 3	140		6	10	11	3S	N-1		50	2.4
14	3	1NT	S-1		100	0.6	14	3	6NT	S 6	990		1.8	14	4	3S	W 5	200		2.4	14	4	4S	N-2		100	0
Board (9)							Board (10)							Board (11)							Board (12)						
NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP
3	6	4H	W 5		650	3	3	6	4C	N 6	170		1.8	1	2	Average				3	1	2	Average				3
7	9	3NT	W 4		630	6	7	9	3D	E-2	200		4.8	4	7	4H	N-3		150	0.6	4	7	3S	W 3		140	2.4
8	4	3NT	W 5		660	0	8	4	4C	N 6	170		1.8	8	10	3S	E-1	50		4.8	8	10	3D	E 4		130	4.2
10	13	4H	W 5		650	3	10	13	5C	N 7	640		6	9	5	3C	W 4		130	2.4	9	5	4D	E 4		130	4.2
11	1	4H	W 5		650	3	11	1	4C	N 7	190		3.6	11	13	3H	N-3		150	0.6	11	13	4H	S-2		200	1.2
12	2	Average				3	12	2	Average				3	12	3	5C	W-2	100		6	12	3	2H	S 2	110		6
14	5	4H	W 5		650	3	14	5	3S	S 3	140		0	14	6	3H	N-1		50	3.6	14	6	3NT	W 3		400	0
Board (13)							Board (14)							Board (15)							Board (16)						
NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP
1	13	1NT	E 4		180	1.2	1	13	5C	S 6	420		6	2	13	Average				3	2	13	Average				3
2	3	Average				3	2	3	Average				3	3	4	4H	E-1	50		5.4	3	4	3NT	S 3	400		1.8
5	8	1NT	W 1		90	4.8	5	8	3D	E-3	150		4.8	6	9	3H	E-1	50		5.4	6	9	3NT	S 6	490		6
9	11	3H	N-2		200	0	9	11	3NT	N-2		100	1.8	10	1	3H	E 4		170	1.2	10	1	3NT	N 3	400		1.8
10	6	2H	N 2	110		6	10	6	3NT	S-2		100	1.8	11	7	Passout				3.6	11	7	3NT	N 5	460		4.8
12	4	3H	N-1		100	3.6	12	4	3NT	N-2		100	1.8	12	5	3H	E 5		200	0	12	5	3NT	N-1		50	0
14	7	2S	W 2		110	2.4	14	7	3NT	N-2		100	1.8	14	8	2D	W 2		90	2.4	14	8	3NT	S 4	430		3.6

Board (17)							Board (18)							Board (19)							Board (20)						
NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP
1	8	3H	N 5	200		4.8	1	8	4S	N 5	650		4.2	1	3	1NT	N 2	120		6	1	3	3D	W-1	100		4.2
4	5	3H	S 3	140		3.6	4	5	3H	N 4	170		0	2	9	Average				3	2	9	Average				3
7	10	4H	S-2		100	0.6	7	10	4S	N 5	650		4.2	5	6	2H	E 3		140	0	5	6	2S	N-1		100	2.4
11	2	Average				3	11	2	Average				3	8	11	1NT	N 1	90		3.6	8	11	2D	W-1	100		4.2
12	6	1NT	W 1		90	2.4	12	6	2H	N 5	200		1.2	12	7	1NT	N 1	90		3.6	12	7	2NT	E-3	300		6
13	3	4H	S-2		100	0.6	13	3	4H	S 5	650		4.2	13	4	1NT	N 1	90		3.6	13	4	3S	N-3		300	0.6
14	9	4H	N 4	420		6	14	9	4H	N 5	650		4.2	14	10	1NT	N-1		50	1.2	14	10	2S	N-3		300	0.6
Board (21)							Board (22)																				
NS	EW	Contract		N-S	E-W	MP	NS	EW	Contract		N-S	E-W	MP														
2	4	Passout				2	2	4	Passout				3														
3	10	2S	W 3		140	0.5	3	10	3D	S-1		50	2														
6	7	3S	W-2	100		5	6	7	2S	E 2		110	0.5														
8	12	3S	W-1	50		3.5	8	12	3D	S 3	110		4.5														
9	1	3S	W-1	50		3.5	9	1	2S	E 2		110	0.5														
13	5	2H	S 3	140		6	13	5	1NT	S 2	120		6														
14	11	3S	W 3		140	0.5	14	11	3D	S 3	110		4.5														